Reviewed and Approved by:

Updated August 2017 by:
Dr. Lee Ann Clements, Dr. Nisse Goldberg, and Blake Preston Doiron

Updated November 2016 by:
Dr. Lee Ann Clements, Dr. Nisse Goldberg, and Blake Preston Doiron

Updated August 2015 by:
Lee Ann Clements, Adam Campbell, and Heather McCarthy

Updated August 2014 by:
Lee Ann Clements, Adam Campbell, and Heather McCarthy

Updated June 2013 by:
Lee Ann Clements, Gabriela Block, and Heather McCarthy

Section	TABLE OF CONTENTS		Page
	TERMS AND DEFINITIONS		**i**
	COMPLIANCE INSPECTION PLAN REVIEW PAGE		**xi**
	CHEMICAL HYGIENE PLAN LOCATIONS		**xii**
1.0	**INTRODUCTION**		**1**
2.0	**GENERAL PRINCIPLES AND SCOPE**		**4**
3.0	**DESIGNATION OF RESPONSIBILITIES**		**5-9**
	3.1	Provost/Chief Academic Officer & Chief Financial Officer	5
	3.2	Chemical Hygiene Officer	6
	3.3	Laboratory Technicians	7
	3.4	Faculty and Staff	8
	3.5	Student and Laboratory Workers	9
4.0	**STANDARD OPERATING PROCEDURES**		**10-22**
	4.1	Safety Equipment and Procedures	10
	4.2	Laboratory	10
	4.3	Housekeeping Practices	13
	4.4	Chemical Procurement and Purchasing	14
	4.5	Chemical Inventory	15
	4.6	Chemical Receiving	15
	4.7	Chemical Labeling, Storage and Distribution	16
	4.8	Gas Cylinders	18
	4.9	Waste Disposal	20

Section	TABLE OF CONTENTS		Page
10.0	**PARTICULARLY HAZARDOUS SUBSTANCES**		**40-43**
	10.0	General	41
	10.2	Highly Toxic Chemicals	41
	10.3	Reproductive Toxins	42
	10.4	Allergens and Embryotoxins	43
11.0	**MAINTENANCE AND INSPECTION PROGRAM**		**44-46**
	11.1	Maintenance Program	44

Designated Carcinogen A carcinogen that meets the criteria for OSHA ca or falls into Category 1 or 2 of the ACGI

Employee or Personnel An employee shall be defined as any individual employed within a laboratory workplace, whether they are paid or a volunteer, who may be exposed to potentially hazardous Therefore, student assistants conducting faculty research efforts or laboratory preparations are considered employees; however, students participating in laboratory course work are not.

Explosive A chemical that causes a sudden, almost instantaneous release of pressure, gas, and heat when subjected to sudden shock, pressure, or high temperature.

Particularly Hazardou

Unstable (Reactive) A chemical that, in its pure state or as produced and transported, will vigorously polymerize, decompose, condense, or become self-reactive under conditions of shock, pressure, or temperature.

Water Reactive A chemical that reacts with water to release a gas that is flammable or a health hazard.

When chemicals are used in other JU facilities (such as classrooms or conference areas), individuals will use proper hygiene practices and equipment appropriate for such chemical hazards. At a minimum, individuals will always utilize the recommended protective barriers and equipment required . At no time, will an individu exposure to such chemicals exceed the permissible exposure limits specified in Title 29 CFR Part 1910[z].

Laboratory usage of hazardous chemicals are defined as the handling or use of hazardous chemicals in which all of the following criteria are met: (1) Procedures using chemicals are carried out on a laboratory scale (e.g., using containers for reactions, transfers, and 1 Jeffrey 0.00000912 500 handling of chemicals that are easily manipulated by one person); (2) Multiple chemical procedures or chemicals are used; (3) The operations involved are neither part of a production process nor simulate one; and (4) Protective laboratory practices and equipment are available and are commonly used to minimize the potential for employee exposure to hazardous chemicals.

When the operations in a particular laboratory meet all of the above criteria, that laboratory must comply with the requirements of the CHP. Operations in laboratories involved in the use of hazardous chemicals that do not meet the criteria previously outlined shall com Disaster Preparedness and Response Plan, Hazardous Waste Management Plan, and all other applicable OSHA regulations.

stes that may pose environmental, as well as human hazards. JU has developed a separate Hazardous Waste Management Plan (HWMP) to ensure compliance with these

h. Provisions have been established for additional protection for all personnel who work with substances. include select carcinogens, reproductive toxins, and substances that have a high degree of acute toxicity.

3.0 Designation of Responsibilities

3.2 Chemical Hygiene Officer in coordination with Laboratory Managers

JU appoints a CHO for the Division of Science and Math. The CHO in coordination with Laboratory Managers throughout the Division address all health and safety activities. The CHO has the authority to shut down or suspend activities that do not align with the CHP. Located within Appendix A is the memorandum of designation for the CHO for the institution. Duties include, but are not limited to:

a. Determining which part of JU operations are governed by the Title 29 CFR and ensuring that such operations comply with the CHP.

b. Oversee the Environmental Health & Safety (EHS) activities within the Division of Science and Math.

c. Working with the appropriate personnel to evaluate, implement, and update the CHP on a routine basis.

d. Providing technical expertise and administrative support to faculty and staff; and direct inquiries to appropriate resources.

e. Ensuring that extremely hazardous substances are appropriately labeled, handled, stored, and managed. That specific standard operating procedures are developed and maintained for the safe usage, cleanup, and disposal of these substances.

f. Coordinating the operation, acquisition, and maintenance of fume hoods, emergency safety showers, eyewashes, and fire extinguishers where chemicals are handled.

g. Investigating all reports of laboratory incidents, chemical spills, and near-misses to prevent repeat occurrences.

h. Acting as a liaison between laboratory operations and the Provost & Chief Academic Officer. Bring unresolved and potentially serious health and safety problems to the Provost & Chief Academic Officer attention.

i. Maintaining records and making them available to employees and administrative personnel.

j. Maintaining a collection of references on laboratory safety and hazardous materials.

k. Coordinating and monitoring the procurement, use, and disposal of laboratory chemicals.

l. Coordinating waste pickups with those responsible for waste disposal on campus and familiarizing oneself with the JU Hazardous Waste Management Plan, maintained under separate cover.

m. Developing an appropriate implementation program for chemical hygiene, including procedures for complying with each element of the CHP, such as training, information exchange, and record keeping.

n. Training of all laboratory employees and other personnel who may come into contact with hazardous chemicals.

3.3 Laboratory Technicians

The Laboratory Technicians for the Division of Science and Math are directly involved with the implementation of the CHP. The laboratory technicians report directly to Department Chairs. In the event of the absence of a Laboratory Technician, the Laboratory Manager for that department will be responsible for the completion of these tasks:

a. Working with the appropriate personnel to evaluate, implement, and update the CHP annually.

b. Conducting, or designating the conducting of, annual hazard assessments for laboratories and storage areas and provide a written report and recommendations for follow-up activities, as needed, to the CHO. (Inspection Form provided in Appendix B).

c. Reporting all laboratory incidents, chemical spills, and near- misses to the CHO. Develop, institute, and document remedial actions to prevent such incidences in the future.

d. Completing or designatin

l. Notifying the CHO and making an incident report immediately if a spill or injury occurs (Incident Report available in Appendix D). Requesting assistance, if needed, from the CHO and/or their designated appointees.

3.5 Students and Laboratory Assistants

Students and laboratory workers participate in the implementation of this CHP and overall safe laboratory practices by:

f. Confine long hair and loose clothing. Wear closed-toed shoes in the laboratory. Never wear sandals or flip-flops in laboratories where chemicals are being used. Wear appropriate eye protection at all times.

g. If exposure to chemical splashes or spills exist, always wear long-sleeved and long-legged clothing or appropriate protective covering (such as a lab coat that also ensures protection of the midriff area). While performing laboratory work with the potential of chemical splashes or spills, never wear short-sleeved T-shirts and short skirts or

h. All purchase orders that include chemicals that have been purchased for the first time must include a request for the SDS to be sent along with the new chemical. A copy of the SDS will be stored in the laboratory where the chemical is to be used, and a second copy will be stored in the Division of Science and Math Office. The Laboratory Manager and/or Technician will ensure that the SDS collection is complete, and employees and students have access to them during working hours.

4.5 Chemical Inventory

Inventories of hazardous and potential hazardous laboratory reagents are available for all laboratories on campus. The chemical

pus.

c. All chemicals should be stored in containers that are appropriately labeled, structurally compatible for the chemical within, and form an air tight seal around the lid. Periodically checks will be performed on the container label integrity and the shelf life of chemicals in storage. If deficiencies are noted, these containers will be corrected or removed for disposal.

d. If a chemical has been transferred to a secondary container, the new container will be appropriately labeled with all of the hazard information. (See Appendix E for Secondary Labeling Template.)

e. Do not store incompatible materials together. Corrosives, flammables, oxidizers, and poisons are mutually exclusive categories. When a substance has multiple hazards, preference will be given to the gETQmfETQ1q0.00000912 0 612 792

o. Hand-carried chemicals should be placed in a secondary container or acid-carrying bucket to protect against breakage.

p. Wheeled carts used to transport

d. Under no circumstances should any individual ride in a passenger elevator with a gas cylinder. The cylinder should be secured in the elevator and sent to the desired floor without any passengers. As a precaution, a sign should accompany the gas cylinder indicating that passengers should not enter the elevator.

e. If gas cylinders must be

4.9 Waste Disposal

To protect the health and s

If a fire is involved with any chem

g. Individuals exposed to hazardous chemicals should respond immediately:

In the case of eye exposure, flush eyes promptly with water for fifteen (15) minutes and seek immediate medical evaluation.

In the case of inhalation, isolate the individual from the fumes and seek immediate medical evaluation.

In the case of skin contact, flush the affected area promptly with water and remove any contaminated clothing. Seek medical evaluation as necessary.

A copy of all appropriate SDSs should accompany a

5.0 Control Measures

5.1 Reduce Exposure to Hazardous Chemicals

The purpose of this section is to provide the framework for selecting control measures to minimize the risk of chemical hazards. Given the enormous variety of hazardous materials and potential operations, JU has adopted the following guidelines.

Chemical hazards are reduced through various control measures that work in unison to minimize exposure. These measures include the following (in order of preference):

a. **Elimination** Removing of any chemical that poses a significant risk to human health and safety, or to property.

b. **Engineering Controls**

5.2 Personal Protective Equipment (PPE)

The following PPE should be considered as safety hazard control measures for use within laboratories and field work:

a. It is the responsibility of JU to ensure the availability of appropriate safety and emergency equipment for employees and students that are compatible with the required degree of protection for the substances being handled. [Students will be required to purchase appropriate personal protective equipment for use in all academic endeavors].

b. Where necessary, procedures should be prepared on the use of eye, skin, body protection, respirators, and/or other protective gear.

c. Individuals must wear eye protection when visiting or working in areas where hazardous chemicals are handled. All eye protection devices should conform to ANSI Standard Z87+.

d. Chemical splash safety goggles should be used as the standard protective eyewear. Such goggles should fit the face surrounding the

sa[( )] (r nBT/F3 12 Tf1 0 0 1 328.39 525.19 Tm0 g0 G[(c)] TJE

k. When gloves are required,

which provide at least general information regarding the hazards of the chemicals,

5.5 Safety Data Sheets (SDS)

The following SOPs will be followed for the use and retention of SDS.

b. Factors which may raise the possibility of overexposure and therefore warrant an initial measurement of employee or student exposure include:

The manner in which the chemical pr

Cadmium (Title 29 CFR Part 1910.1027(l); 1926.1127; 1915.1027; 1928.1027);
Chromium(VI), Hexavalent (Title 29 CFR Part 1926.1126(i); 1915.1026(i);
Coke Oven Emissions (Title 29 CFR Part 1910.1029(j));
Compressed Air Environments (Title 29 CFR Part 1926.803(b));
Cotton Dust (Title 29 CFR Part 1910.1043(h));
1,2-dibromo-3-chloropropane (Title 29 CFR Part 1910.1044(m); 1926.1144; 1915.1044);
Ethylene Oxide (Title 29 CFR Part 1910.1047(i); 1926.1147);
Formaldehyde (Title 29 CFR Part 1910.1048(l); 1926.1148; 1915.1048);
Lead (Title 29 CFR Part 1910.1025(j); 1926.62);
Methylene Chloride (Title 29 CFR Part 1910.1052(j); 1926.1152);
Methylenedianiline (Title 29 CFR Part 1910.1050(m));
Vinyl Chloride (Title 29 CFR Part 1910.1017(k); 1926.1117); and
Ionizing Radiation (Title 29 CFR Part 1910.1096)

6.0 Safety/Emergency Facilities and Equipment

6.1 Reporting Laboratory Incidents and Unsafe Conditions

The following SOPs will be followed for reporting laboratory incidents and unsafe conditions.

a. Report all laboratory incidents, no matter how minor, to the Division of Science and Math. Incident report forms are availa

m0 m0c8(R)] TJ 0 612 792 reW* nl

6.2 Proper Equipment Use

The following SOPs will be followed for proper safety equipment use.

a. Use equipment only for its intended purpose and design.

b. Inspect all equipment and laboratory apparatuses for damage before use. Never use damaged equipment, such as cracked glassware or equipment with frayed electrical wiring.

c. Consult the user manual or a trained laboratory employee prior to using equipment f

6.7 Electrical

The following SOPs will be followed for electrical outlets and circuits.

a. All electrical outlets should have a grounding connection accommodating a three-prong plug/adapter.

b. Ground-fault circuit interrupters are required by the fire code to protect users from electrical shock, particularly if an electrical device is handheld during a laboratory operation or if contact with water is highly possible.

c. All laboratories should have circuit breakers readily accessible and their locations mapped.

7.0 Training

The OSHA Laboratory Standard stipulates that individuals must be provided with specific information about the chemical hazards in their work area and trained on how to handle such chemicals. Thus, chemical users will receive the required training to perform every task within a reasonably safe manner. The training must be conducted and documented in accordance with this CHP and OSHA requirements.

Training can be accomplished through for

h

d. Employees will be informed of the location and availabi
reference material on the hazards, safe handling, storage, a
chemicals where there is no applicable OSHA standard.

e. Employees will be informed of the location of SDSs.

f. Employees will be informed of the location of personal prot
and of emergency equipment as outlined in the CHP.

g. Employees will be informed of the signs and symptoms as
to hazardous chemicals used in the laboratory.

7.2 Employee Training

Employees will be provided with information and training to ensu
of the hazards associated with chemicals present within their de
proper procedures to minimize risk of exposure, and the proper re

These orientation and training sessions will cover the following:

a. Contents of the Laboratory Standard and its appendices,
to meet its responsibilities, and on the location and availa
and resources on laboratory employee health and safety.

b. How to read and interpret the material within a

c. The physical and health hazards that are associated with a c

d. Potential signs and symptoms of exposure.

e. The proper use of fume hoods and personal protective equi

Additional hazard evaluations will be made for the following:

g. Prior approval should be obtained from the CHO whenever a new laboratory experiment or test is to be carried out if faculty/staff are uncertain about associated hazards.

h. Prior approval from the CHO before doing any procedure should be obtained where one or more of the following conditions exist if the faculty/staff are uncertain about associated hazards and appropriate protective measures:

Potential for a rapid rise in temperature;
Potential for a rapid increase in pressure;
Potential for a chemical explosion;
Potential for spontaneous combustion;
Potential for the emission of toxic gasses that could produce concentrations in the air that exceed toxic limits; and
Involves the use of a highly toxic substance.

i. Approval will be initiated by use of the Laboratory Procedure Change form, available in Appendix H.

j. Chemicals should not be distributed to other persons or to other areas of the school, outside of Division of Science and Math, without the prior approval of the CHO and/or their designee. Chem and32 TJm91 T912 0 12 Tfg Tm0 gW* nBT/F3 12 Tf1 0 0l000912 0 612 792 re4

9.0 Medical Consultation and Examination

All injuries or chemical exposures in the laboratory should be reported immediately to Campus Security and the Division of Science and Math. Medical attention following an injury or exposure to chemicals in the laboratory should be sought. Consultation, examination, and treatm

c. The Human Resources Director, on behalf of JU and the employee, will obtain a written opinion from the examining physician. The written opinion should include:

Recommendation for medical follow-up;

The results of all medical examinations for this incident;

Any medical condition that places an employee at risk as a result of future exposure to hazardous chemicals;

A statement confirming the employee was advised of the risks; and

The opinion must not reveal specific findings of diagnoses unrelated to occupational exposure if such limitation is within the control of Jacksonville University.

d. Medical attention includes:

Medical history and examination;

Specific treatment as necessary;

Laboratory tests if required; and

Follow-up examinations, treatments, and laboratory tests as needed.

10.0 Particularly Hazardous Substances

Special consideration will be given to protecting all personnel from particularly hazardous chemicals. For the purposes of this CHP, these include designated carcinogens, reproductive

10.1 General

General procedures for particularly hazardous substances (PHS) include:

a. Employees must have been trained and authorized before commencing in any procedure using PHSs.

b. PHSs include highly toxic chemicals, reproductive toxins, and select carcinogens.

c. The use of these substances requires prior approval of the CHO (Appendix H).

d. PHSs should only be used within their assigned areas and must remain within its approved containment engineering controls.

e. The use of PHSs will require the proper removal/disposal of contaminated hazardous waste and the complete decontamination of the contaminated area.

10.2 Highly Toxic Chemicals

The precautions below shall be taken when working with chemicals of high-chronic toxicity. Examples of these types of substances, but are not limited to, include dimethylmercury and nickel carbonyl, benzo[a]pyrene, N-nitrosodiethylamine, and other human carcinogens or substances with high carcinogenic potency in animals. Other examples of highly toxic chemicals (acute or chronic) that were commonly used in the past are benzene, chloroform, formaldehyde, bromine, carbon disulfide, carbon tetrachloride, cyanide salts, and hydrofluoric acid.

a. When a PEL or TLV value is less than fifty 50 ppm or 100 mg/m

f. If large quantities of toxic substances are used on a regular basis, initiate a medical surveillan

e. Examples of reproductive toxins, but are not limited to, are organomercurial compounds, ethidium bromide, carbon disulfide, xylene, toluene, benzene, mercury, lead compounds, ethyl ethers, and vinyl chloride.

10.4 Allergens and Embryotoxins

The precautions below will be taken when working with allergens and embryotoxins.

a. Review each use of these materials with th

d. Em

d. The Director of Campus Security, appropriate Laboratory Manager and/or Technician, or appropriate Division and/or Department Chair should be notified of any problem with emergency equipment. The following should be checked:

Emergency exits;
Fire extinguishers;
Availability of spill-control emergency equipment;
Availability of SDS;
Proper and working protective equipment is in the facility;
General housekeeping conditions and systems used to communicate hazards;
Storage areas for proper segregation of chemical classes, storage facilities, and container integrity; and
Waste disposal practices

Improvements and corrective actions should be documented in Appendix B. Any serious or potentially serious laboratory safety and/or health problems will be identified and a schedule of steps and a time frame for completing them will be prepared by the CHO and/or their assigned designee.

12.0 Emergency Contact Information

Name	Phone Number Off-site
City of Jacksonville Fire Department Non-Emergency Emergency	 904-630-0434 (M-F 8am 4pm) 904-630-0527 (after hours) 911
City of Jacksonville S Non-Emergency Emergency	 904-630-0500 911
JEA	(904) 665-6000 (800) 683-5542 (M-F 7am - 9pm & Sat. 8am noon)
National Weather Service	904-741-4370
Poison Control Center	800-222-1222
Florida Department of Environmental Protection State Warning Point	800-320-0519

Jacksonville University Personnel		
Title	**Name**	**Phone Number**
Chemical Hygiene Officer	[redacted]	

Appendix A

Designation of Chemical Hygiene Officer
(Signed copy available once request)



JACKSONVILLE UNIVERSITY

FROM: Dr. Donnie Horner, Provost and Chief Academic Officer

DATE: August 3, 2017

SUBJECT: Designation of Chemical Hygiene Officer

As required by the OSHA Standard regarding Occupational Exposure to Hazardous Chemicals in Laboratories (Laboratory Standard Title 29 CFR 910.1450), I designate the Chemical Hygiene Officer to develop and implement appropriate chemical hygiene policies and

☐ ☐ ☐

☐ ☐ ☐
☐ ☐ ☐
☐ ☐ ☐
☐ ☐ ☐

☐ ☐ ☐
☐ ☐ ☐
☐ ☐ ☐

☐ ☐ ☐
☐ ☐ ☐
☐ ☐ ☐
☐ ☐ ☐
☐ ☐ ☐
☐ ☐

☐

☐ ☐ ☐
☐ ☐ ☐

☐ ☐ ☐
☐ ☐ ☐
☐ ☐ ☐
☐ ☐ ☐

☐ Yes ☐ No ☐ NA 4.5 The front door to all laboratories should have signs indicating the type of hazards present in the laboratory. Write down all information:

5.0 CHEMICAL STORAGE

☐ Yes ☐ No ☐ NA 5.1 Incompatible chemicals segregated

☐ Yes ☐ No ☐ NA 5.2 Current inventory of chemicals available and recent (within one (1) year)

☐ Yes ☐ No ☐ NA 5.3 Hazardous chemicals not stored above on open shelves

☐ Yes ☐ No ☐ NA 5.4 Bulk quantities of flammable liquids stored in approved safety cans, cabinets

☐ Yes ☐ No ☐ NA 5.5 Safety carriers available for bottles

☐ Yes ☐ No ☐ NA 5.6 Expired or out-of-use chemicals absent

☐ Yes ☐ No ☐ NA 5.7 Excessive quantities of chemicals not stored on benches

6.0 COMPRESSED GAS CYLINDERS AND VACUUM PUMPS

☐ Yes ☐ No ☐ NA 6.1 Chained, secured

☐ Yes ☐ No ☐ NA 6.2 Inspected for condition, pressure retention

☐ Yes ☐ No ☐ NA 6.3 Gas lines, piping, manifolds, etc. labeled with identity of contents. Gas ports labeled.

☐ Yes ☐ No ☐ NA 6.4 Protective caps in place except when cylinders are in use

☐ Yes ☐ No ☐ NA 6.5 Vacuum pumps appropriately ventilated. Rotovaporators wrapped in electrical tape when possible

☐ Yes ☐ No ☐ NA 6.6 Vacuum pumps enclosed with fan belt guard

☐ Yes ☐ No ☐ NA 6.7 Flammable gas lines equipped with flashback arrestors

7.0 WASTE DISPOSAL

☐ Yes ☐ No ☐ NA 7.1 Hazardous wastes not disposed in general sewer system (sink) or in general trash

☐ Yes ☐ No ☐ NA 7.2 Waste containers closed except when adding or removing waste

☐ Yes ☐ No ☐ NA 7.3 Containers for hazardous wastes in good condition

☐ Yes ☐ No ☐ NA 7.4 Containers of hazardous waste labeled with the words hazardous waste and other descriptive words

☐ Yes ☐ No ☐ NA 7.5 Is there spill containment available?

☐ Yes ☐ No ☐ NA 7.6

☐ ☐ ☐

☐ ☐ ☐

☐ ☐ ☐

8.0 LABORATORY HOODS AND VENTILATION

☐ Yes ☐ No ☐ NA 8.1 Hoods in sound w

☐ ☐ ☐

☐ ☐ ☐

☐ ☐ ☐

☐ ☐ ☐

☐ ☐ ☐

☐ ☐ ☐

☐ ☐ ☐

☐ ☐ ☐

☐ ☐ ☐

☐ ☐ ☐

☐ ☐ ☐

Appendix C

Chemical Inventory Information

Listed below are the required details that will be maintained within the chemical inventory for each department:

Chemical Name;
Asset Tag Number;
Lot Number;
Vendor Name;
Catalog Number;
Location and Sub-Location;
Approximate Percentage Remaining;
Container Size (g) or Volume (ml);
Date Received;
Expiration Date;
Physical State;
Signal Word;
NFPA Hazard Diamond Information;
GHS Hazard Pictograms; and
SDS URL.

Listed below are the departments that maintain a chemical inventory per the CHP:

Biology Department via Biology Laboratory Manager, Nelms #21;
Chemistry Department via Chemistry Laboratory Manager, Swisher 4C

Jacksonville University Incident Reporting Form

First Name: _____ Last Name: _____

JU ID#: _____ Sex: _____ Age: _____

Address: _____

_____

Contact Number or Email: _____

Date of Incident: _____ Time of Incident: _____

Location of Incident: _____

Did the incident involve property damage? _____

If so, what: _____

Was a motor vehicle involved in this incident: _____

If so, what: _____

Do you require medical attention? _____

If so, who treated you: _____

_____

Describe, step-by-step, how the incident occurred:

_____

_____

_____

_____

_____

_____

What would you recommend to prevent this accident from recurring:

_____

_____

_____

Witnesses of Incident: _____

_____

Date: _____

Date: _____

Routing / Distribution

Copies of this Incident Report must be sent immediately to the following **Chief Financial Officer** and:

Appropriate Supervisor (if incident involves staff or employee)

Chief Academic Officer (if incident occurred in classroom or involves faculty)

Director of Human

.

Appendix E

Secondary Container Label Guidelines

Hazardous Materials Identification System, NFPA, Diamond Code Descriptions:



Globally Harmonized System, GHS, Diamond Code Descriptions:

Appendix F

EPA's Chemical Compatibility Chart

EPA-600/2-80-076 April 1980

A Method for Determining the Compatibility of Chemical Mixtures

Please Note: This chart is intended as an indication of some of the hazards that can be expected on mixing chemical wastes. Because of the differing activities of the thousands of compounds that may be encountered, it is not possible to make any chart definitive and all inclusive. It cannot be assumed to ensure compatibility of wastes because wastes are not classified as hazardous on the chart, nor do any blanks necessarily mean that the mixture cannot result in a hazard occurring. Detailed instructions as to hazards involved in handling and disposing of any given waste should be obtained from the originator of the waste.



Appendix G

Safety Concern Reporting Form

Laboratory Procedure Change Form

(To be used only under conditions stated in Section 10)

6. Indicate applicable category of this project:

- ☐ **New proposal**
- ☐ **Addition or modification to existing proposal (Indicate additional project approval #)**
- ☐ **Teaching / Training**

7. List below the particularly hazardous chemicals that will be used in connection with this project.

Chemical Name	**Chemical Abstract Number (CAS)**	**Haza**

☐ ☐

☐ ☐

CHEMICAL WASTE DISPOSAL AND HAZARD COMMUNICATION

12. Perform a waste determination on all waste streams resulting from this project in accordance with the Jacksonville University Hazardous Waste Management Plan. Waste Streams identified:

_____

_____

_____

13. Is current emergency contact information posted in the laboratory where this project is to be performed?

☐ **yes** ☐ **no**

14. Indicate the type of fire extinguishers required

☐ **ABC**
☐ **D**
☐ **Not applicable**

Is that type available in the laboratory? ☐ **yes** ☐ **no**

Date fire extinguishers were last inspected: _____

15. Please indicate any additional information or components pertinent to the CHO s review of this protocol:

_____

_____

_____

16. I have read and am familiar with the Chemical Hygiene Plan, Material

_____ _____

___ ___

C

Appendix J

General L 5616n4005.i0e4 G[( )o ÐvKÐvKÐvK)ÉdÐBiAqÐvBÑ

General Laboratory Safety Guidelines

I have read and understand the below entitled, "Laboratory

General Laboratory Safety Guidelines

General Procedure:	Put a check on the ones that apply to this class
Only assigned work in the laboratory is permitted and only under proper supervision.	
No experiments may be performed outside of the assigned laboratory period unless explicitly authorized by the professor.	
Work individually unless otherwise directed.	
Always read the label on the bottle of every reagent before using it.	
Use only the amounts of reagent called for in the experiments.	

Appendix K

Biology and Marine Sciences Laboratory Safety Guidelines